



ZOOMLION

Серия DG

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

сайт: www.zoomlion.nt-rt.ru || эл. почта: znm@nt-rt.ru

ZOOMLION ZLJ5320JXFDG32 Aerial Platform

Technical Specifications





Brief Code	DG32B
Model Name	ZLJ5320JXFDG32
Main Notes	Platform Height: 32 m Water tank: 5500 L Pump flow: 3600 lpm (960 USgpm)
FEATURES	Aerial platform height 32 meters, excellent for aerial rescue and extinguishing, and difficult to reach area. Safety Protection including inter lock, fault operation alarm and automatic emergency stop system . Boom movement buffering system. Boom and cage automatic anti-collision system. Soft leg prevention. Automatic engine speed control when operation. One key outrigger stretching system. Smart combined movement of swivel and stretch. All-aluminum body and stainless steel tank. Light weight, and will never rust. Stainless steel pipelines Centralized control panel that makes operation and use extremely easy. Variety hose connectors. With normal foam extinguishing system. High flow rate. Remote control monitor.
Overall Measurement (L*W*H)	10515*2500*3750 mm

Chassis Brand	SINOTRUK ZZ5347V4647P1
Driving form	6*4
Wheel Base	4625+1350 mm
Curb Mass	26150 kg
GVW	31800 kg
Outrigger Transversal Span	5400 mm
Water Tank Capacity	5500 L
Engine Power	276 kW (375 HP)
Power Density	7.9 kW/t
Max Vehicle Speed	100 km/h
Min Turning Diameter	22 m
Fire Pump Model	CB12/60-TB
Monitor Model	AKRON 3578 (US made)
Water Pump Flow	3600 lpm (960 USgpm)
Monitor Flow Rate	3600 lpm (960 USgpm)
Monitor Range	>80 m(water) >70 m(foam)
Water Pumper Inlet Diameter	2*150 m (1 for each side)
Water Pumper Outlet Diameter	4*80 mm (2 for each side)
Water Tank Inlet Diameter	4*80 mm(2 for each side)
Monitor Swivel Angle	-45 to 45 °
Monitor Pitch Angle	-30 to 90 °
Driver's Cab	2 persons
Max Working Height	32 m
Max Working Range	18 m
Cage rated capacity	400 kg
The action time of the boom	<120 s
Outrigger Stretching Time	<40 s
Max allowed wind speed	12.5 m/s

ZOOMLION ZLJ5400JXFDG54 Aerial Platform

Technical Specifications



Brief Code	DG54
Model Name	ZLJ5400JXFDG54
Main Notes	Platform Height: 54 m Water tank: 3500 L Pump flow: 5400 lpm (1430 USgpm)

FEATURES

Aerial platform height 54 meters, excellent for aerial rescue and extinguishing, and difficult to reach area.

Safety Protection including inter lock, fault operation alarm and automatic emergency stop system .

Boom movement buffering system.

Boom and cage automatic anti-collision system.

Soft leg prevention.

Automatic engine speed control when operation.

One key outrigger stretching system.

Smart combined movement of swivel and stretch.

All-aluminum body and stainless steel tank.

Light weight, and will never rust.

Stainless steel pipelines

Centralized control panel that makes operation and use extremely easy.

Variety hose connectors.

With normal foam extinguishing system.

High flow rate.

Remote control monitor.

Overall Measurement (L*W*H)	12800*2500*3950 mm
Chassis Brand	BENZ Actros 4144
Wheel Base	1700+4300+1350 mm
Curb Mass	36750 kg
GVW	40400 kg
Outrigger Transversal Span	6000 mm
Water Tank Capacity	3500 L
Engine Power	325 kW (442 HP)
Power Density	7.92 kW/t
Max Vehicle Speed	90 km/h
Min Turning Diameter	24.4 m
Fire Pump Model	HALE RSD100 (US made)
Monitor Model	AKRON 3578 (US made)
Water Pump Flow	5400 lpm (1430 USgpm)
Monitor Flow Rate	3600 lpm (960 USgpm)
Monitor Range	>70 m(water) >60 m(foam)
Water Pumper Inlet Diameter	2*150 m (1 for each side)
Water Pumper Outlet Diameter	4*80 mm (2 for each side)
Water Tank Inlet Diameter	4*80 mm(2 for each side)
Monitor Swivel Angle	-45 to 45 °
Monitor Pitch Angle	-30 to 90 °

Driver' s Cab	2 persons
Max Working Height	54 m
Max Working Range	20.5
Cage rated capacity	400 kg
The action time of the boom	<150 s
Outrigger Stretching Time	<40 s
Max allowed wind speed	12.5 m/s



ZOOMLION

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

сайт: www.zoomlion.nt-rt.ru || эл. почта: znm@nt-rt.ru