



ZOOMLION

Серия SG

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

сайт: www.zoomlion.nt-rt.ru || эл. почта: znm@nt-rt.ru

ZOOMLION ZLJ5070GXFSG30 FIRE VEHICLE

Technical Specifications



Brief Code	SG30
Model Name	ZLJ5070GXFSG30
Main Notes	Water tank: 2550 L Pump flow: 30 L/s
FEATURES	All-aluminum body and stainless steel tank. Light weight, and will never rust. Stainless steel pipelines Centralized control panel that makes operation and use extremely easy. Variety hose connectors. With manhole at the top of the water pump room.
Outer Measurement (L*W*H) (mm)	6850*2040*2620
Chassis Brand	ISUZU
Driving form	4*2
Wheel Base (mm)	3815
Curb Mass (kg)	3855
GVW (kg)	6780

Water Tank Capacity (L)	2550
Engine Power (kW)	88
Power Density (kW/t)	12.8
Max Vehicle Speed (km/h)	105
Fire Pump Model	CB10/30
Monitor Model	PS30
Water Pump Flow (L/s)	30
Water Pump Pressure (Mpa)	1.0-1.3
Monitor Flow Rate (L/s)	30
Monitor Range (m)	50
Water Pumper Inlet Diameter (mm)	1*100
Water Pumper Outlet Diameter (mm)	2*80
Water Tank Inlet Diameter (mm)	2*65
Driver's Cab (persons)	5

ZOOMLION ZLJ5200GXFSG80 FIRE VEHICLE**Technical Specifications**

Brief Code	SG80
Model Name	ZLJ5200GXFSG80
Main Notes	Water tank: 7900 L Pump flow: 3600 lpm (960 USgpm)
FEATURES	All-aluminum body and stainless steel tank. Light weight, and will never rust. Stainless steel pipelines Centralized control panel that makes operation and use extremely easy. Variety hose connectors. With manhole at the top of the water pump room. High flow rate.
Overall Measurement (L*W*H)	8695*2500*3380 mm

Chassis Brand	SINOTRUK ZZ5207M4617D5
Driving form	4*2
Wheel Base	8695*2500*3380 mm
Curb Mass	4600 kg
GVW	20300 kg
Water Tank Capacity	7900 L
Engine Power	228 kW (310 HP)
Power Density	11.2 kW/t
Max Vehicle Speed	100 km/h
Fire Pump Model	CB20.10/30.60-XZ
Monitor Model	PS50
Water Pump Flow	3600/1800 lpm (960/480 USgpm)
Water Pump Pressure	1.0/2.0 Mpa
Monitor Flow Rate	3000 lpm (800 USgpm)
Monitor Range	≥65 m
Water Pumper Inlet Diameter	1*150 mm
Water Pumper Outlet Diameter	4*80 mm(normal pressure) & 2*65 mm(medium pressure)
Water outlet at cage	
Water Tank Inlet Diameter	2*80 mm(1 for each side)
Proportioning Mixer	Without
Driver's Cab	6 persons

ZOOMLION ZLJ5280GXFSG120 FIRE VEHICLE

Technical Specifications



Brief Code	SG120
Model Name	ZLJ5280GXFSG120
Main Notes	Water tank: 12000 L Pump flow: 3600 lpm (960 USgpm)
FEATURES	All-aluminum body and stainless steel tank. Light weight, and will never rust. Stainless steel pipelines Centralized control panel that makes operation and use extremely easy. Variety hose connectors. With manhole at the top of the water pump room. Large water tank. High flow rate.
Overall Measurement (L*W*H)	10050*2500*3400 mm
Chassis Brand	SINOTRUK ZZ5347V4647D5
Driving form	6*4
Wheel Base	4600+1350 mm
Curb Mass	14900 kg
GVW	27650 kg
Water Tank Capacity	12000 L

Engine Power	276 kW (375 HP)
Power Density	9.2 kW/t
Max Vehicle Speed	90 km/h
Min Turning Diameter	20 m
Class A Foam System	
Fire Pump Model	CB20.10/30.60-XZ
Monitor Model	PS50
Water Pump Flow	3600/1800 lpm (960/480 USgpm)
Water Pump Pressure	1.0/2.0 MPa
Monitor Flow Rate	3000 lpm (800 USgpm)
Monitor Range	≥65 m
Water Pumper Inlet Diameter	1*150 mm
Water Pumper Outlet Diameter	4*80 mm(normal pressure) & 2*65 mm(medium pressure)
Water Tank Inlet Diameter	4*80 mm(2 for each side)
Proportioning Mixer	Without
Driver's Cab	6 persons

ZOOMLION ZLJ5330GXFSG180 FIRE VEHICLE

Technical Specifications



Brief Code	SG180
Model Name	ZLJ5330GXFSG180
Main Notes	Water tank: 12000 L Pump flow: 3600 lpm (960 USgpm)
FEATURES	All-aluminum body and stainless steel tank. Light weight, and will never rust. Stainless steel pipelines Centralized control panel that makes operation and use extremely easy. Variety hose connectors. With manhole at the top of the water pump room. Large water tank. High flow rate.
Overall Measurement (L*W*H)	10430*2500*3680 mm
Chassis Brand	SINOTRUK ZZ5347V4647D1
Driving form	6*4
Wheel Base	4600+1350 mm
Curb Mass	15440 kg
GVW	33490 kg

Outrigger Transversal Span	
Water Tank Capacity	17600 L
Engine Power	276 kW (375 HP)
Power Density	8.2 kW/t
Max Vehicle Speed	80 km/h
Min Turning Diameter	22 m
Fire Pump Model	CB20.10/30.60-XZ
Monitor Model	PS50
Water Pump Flow	3600/1800 lpm (960/480 USgpm)
Water Pump Pressure	1.0/2.0 MPa
Monitor Flow Rate	3000 lpm (800 USgpm)
Monitor Range	≥65 m
Water Pumper Inlet Diameter	1*150 mm
Water Pumper Outlet Diameter	4*80 mm(normal pressure) & 2*65 mm(medium pressure)
Water outlet at cage	
Water Tank Inlet Diameter	4*80 mm(2 for each side)
Foam suction inlet	
Proportioning Mixer	Without
Driver's Cab	6 persons




ZOOMLION ZLJ5120GXFSG40 FIRE VEHICLE

Technical Specifications




Brief Model:	SG40
Model Code:	ZLJ5120GXFSG40
Main Notes	Water tank: 4000 L Pump flow: 30 L/s
FEATURES	All-aluminum body and stainless steel tank. Light weight, and will never rust. Stainless steel pipelines Centralized control panel that makes operation and use extremely easy. Variety hose connectors. With manhole at the top of the water pump room.
Overall Measurement (L*W*H) (mm)	7290*2400*3260
Chassis Brand	DONGFENG
Driving form	4*2
Wheel Base (mm)	3650
Curb Mass (kg)	7900
GVW (kg)	12350
Water Tank Capacity (L)	4000
Engine Power (kW)	132

Power Density (kW/t)	10.85
Max Vehicle Speed (km/h)	90
Fire Pump Model	CB10/30-XZ
Monitor Model	PS30
Water Pump Flow (L/s)	30
Water Pump Pressure (Mpa)	1
Monitor Flow Rate (L/s)	30
Monitor Range (m)	≥55
Water Pumper Inlet Diameter (mm)	1*100
Water Pumper Outlet Diameter (mm)	2*80
Water Tank Inlet Diameter (mm)	2*80
Proportioning Mixer	Without
Driver's Cab (persons)	6



左半側面圖



The logo for ZOOMLION, featuring the word "ZOOMLION" in a bold, dark blue, sans-serif font. The text is centered within a light green parallelogram that has a slanted right edge.

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

сайт: www.zoomlion.nt-rt.ru || эл. почта: znm@nt-rt.ru